



Horus Signals AI Bots

Hướng dẫn sử dụng / User guide

Windows 2.0.3 · 10/10/2026

horussignals.com

Hướng dẫn sử dụng

Bắt đầu

Cài bằng Setup, mở ứng dụng và kích hoạt bằng email mua hàng cùng serial. Mặc định PAPER. Kết nối nguồn dữ liệu và chọn mã, khung thời gian, tài khoản trong Cài đặt trước khi giao dịch.

Các nhóm bot

Horus Tech Bots và Scalping AI Bots dùng hình riêng. Scalping AI Bots xem xét hành động sau mỗi nến đã đóng. Bật/tắt nhóm này trong Cài đặt. Mặc định bật. Bot có thể chọn không mở lệnh.

Xem chi tiết bot

Bấm vào Scalping AI Bot hoặc Horus AI Bot trên sân bot hoặc Leaderboard để xem bảng thông tin, SL/TP riêng, hiệu suất chạy bóng và lệnh thật, kết quả gần nhất và lịch sử trạng thái. Dấu – là chưa có dữ liệu. Các nhóm bot sử dụng dữ liệu riêng của mình.

Vòng đời

Kiểm định lịch sử → Chạy bóng → Thử việc → Chính thức → Vô địch. Chỉ Chính thức và Vô địch mới đủ điều kiện chạy lệnh thật, và vẫn phải qua các kiểm tra quyền giao dịch cùng giới hạn rủi ro. Bot có thể vào Tạm giam hoặc Nghỉ địa khi không còn đạt yêu cầu.

Execution và lịch sử

Execution hiển thị bot, tài khoản, balance và timeframe của lệnh. Lịch sử PAPER và THẬT là hai bảng riêng; chọn hôm nay, tuần, tháng, 3 tháng, tất cả hoặc từ ngày đến ngày; More tải tiếp trong khoảng đã chọn. Leaderboard và Hall of Fame nằm cùng hàng trên màn hình rộng.

SL, TP và khóa lãi

Mỗi lệnh có mức bảo vệ riêng. Khóa lãi có thể dịch chuyển theo diễn biến thuận lợi. Mức hiển thị là mục tiêu bảo vệ; giá khớp thực tế có thể khác do spread, trượt giá hoặc mất kết nối. Không bảo đảm chốt đúng đỉnh lợi nhuận.

Mục tiêu giao dịch

Mỗi mã và khung thời gian có mục tiêu riêng; mục tiêu toàn tài khoản áp dụng chung. Các ô tự giữ bản nháp để mở lại không mất. Bấm Kiểm tra khả thi, rồi Lưu & Áp dụng để sử dụng. Tắt mục tiêu vẫn giữ giá trị đã lưu. Bản nháp chưa áp dụng không thay đổi giao dịch.

Tối ưu và tiến hóa

Bot được đánh giá, chọn lọc và tối ưu theo dữ liệu cùng mục tiêu đã áp dụng. Bot mới phải trải qua vòng đời kiểm chứng. Mục tiêu là hướng phần đầu, không phải cam kết lợi nhuận.

Chạy thật và dừng

Chỉ bật lệnh thật trên tài khoản bạn chủ động chọn và có quyền giao dịch. Kiểm tra PAPER trước. Dùng các nút dừng và khóa khẩn cấp khi cần; tiếp tục kiểm tra trạng thái lệnh trên broker.

Cập nhật và dữ liệu

Từ bản 1.0.21 hoặc cũ hơn: sao lưu config.json và thư mục data, đóng ứng dụng rồi dùng Setup 2.0.2. Các bản đã có trình cập nhật mới có thể dùng Kiểm tra cập nhật. Cấu hình và dữ liệu được giữ; phục hồi mã chương trình không hoàn tác các thay đổi dữ liệu hay lệnh tại broker.

Hỗ trợ

Tài phần mềm và xem giấy phép tại horussignals.com. Giấy phép còn hạn cần thiết để nhận cập nhật. Giao dịch có rủi ro mất vốn; không có bảo đảm lợi nhuận.

AI cloud và tiến hóa đồng bộ

Horus Tech Bots, Horus AI Bots và Horus Scalping Bots học từ DNA và lịch sử, sinh biến thể và kiểm chứng độc lập. Bot mới, bot con và DNA biến đổi phải đạt kiểm định lịch sử riêng trước khi chạy bóng. AI không tự cấp quyền chạy thật hoặc sửa lệnh đang mở.

Chuyển nguồn AI

Trong Cài đặt, bật ưu tiên cloud cho nghiên cứu bot. Cloud miễn phí được ưu tiên, tiếp đến cloud trả phí đã bật và nhập key, cuối cùng AI local dự phòng. Khi model hết hạn mức, hệ thống tự chuyển model hoặc nhà cung cấp và cho nguồn lỗi tạm nghỉ. Lỗi xác thực cần kiểm tra lại key. Dùng tài khoản Free Tier nếu muốn tận dụng hạn mức miễn phí; phí phụ thuộc nhà cung cấp. Muse Web và Meta Model API có hạn mức riêng.

Signal theo từng nơi nhận

Trong Cài đặt Signal, mỗi dòng chọn nhóm hoặc số cá nhân, địa chỉ nhận và ngôn ngữ riêng. Kiểm tra đúng nơi nhận trước khi bật gửi. Key và cấu hình riêng phải nhập trên máy của bạn.

Horus Signals AI Model trên máy của bạn

Model nhỏ tự thu thập dữ liệu mới và học trên máy khách hàng sau khi ứng dụng được kích hoạt, kết nối nguồn dữ liệu và có kết quả chạy bóng. Mỗi máy có dataset và model riêng; gói cài không chứa dataset hay model đã học của nhà phát triển. Trạng thái hiển thị trên giao diện. Nếu chưa đủ dữ liệu thì tiếp tục Thu thập dữ liệu; không có cam kết thời gian huấn luyện hoặc lợi nhuận. Model tự kiểm tra dữ liệu mới để huấn luyện định kỳ, nhường tài nguyên cho giao dịch. Model đủ điều kiện được đề xuất bot và tối ưu DNA; mọi ứng viên vẫn phải qua kiểm định riêng. Model không trực tiếp mở lệnh thật hay thay đổi vốn và rủi ro. Model mới chỉ thay bản đang dùng khi vượt kiểm định so sánh. Học thoát lệnh đang phát triển và sẽ được cập nhật sau.

Dữ liệu và hiệu năng

Huấn luyện chạy nền khi tài nguyên phù hợp và được hoãn khi máy bận. Dữ liệu model mới được lưu cùng thư mục data/learning; sao lưu toàn bộ config.json và data trước khi cập nhật. Không tự chia sẻ dataset/model của bạn cho nhà phát triển. AI cloud vẫn sử dụng các key và quyền bạn tự cấu hình riêng.

Bảo vệ lợi nhuận và giới hạn lệnh

Mặc định giới hạn một vị thế hoặc lệnh chờ theo bot, mã, khung và tài khoản; gia tăng lệnh mặc định tất. Trong Quản lý rủi ro, Bảo vệ lời theo khung nhỏ nhất mặc định bật cùng bảo vệ lời tổng. Hệ thống ưu tiên M1, nếu không có thì dùng khung nguồn nhỏ nhất có dữ liệu hợp lệ. SL chỉ dịch theo hướng bảo vệ thêm lợi nhuận và phải được sàn xác nhận; thiếu dữ liệu thì giữ cách bảo vệ hiện có.

Thông báo lệnh trên Horus và Chrome

Thông báo mở, đóng hoặc chốt một phần hiển thị bot, tài khoản, khung và các giá trị được xác nhận. Muốn hiện thông báo Chrome, bật trong Cài đặt và cho phép trình duyệt; giữ trang Horus mở. Không phải dịch vụ thông báo khi trình duyệt đã đóng.

Lịch sử lệnh theo khoảng thời gian

Chọn Hôm nay, Tuần (7 ngày), Tháng (30 ngày), 3 tháng (90 ngày), Tất cả lịch sử hoặc Từ ngày–Đến ngày. Khoảng ngày tùy chọn gồm cả ngày kết thúc và dùng giờ thiết bị. More tải tiếp trong khoảng đã chọn; Tải lại đưa về trang đầu của khoảng đó. Paper đã đóng, Thật đã đóng và Lệnh chờ LIMIT/STOP có tab riêng. Cột loại giúp phân biệt MARKET và LIMIT. Lệnh chờ hết hạn chưa khớp không có lãi/lỗ. Trạng thái lệnh chờ là trạng thái đề xuất; luôn kiểm tra trạng thái từng tài khoản tại broker. Thông tin lịch sử chưa được ghi nhận hiển thị Chưa lưu.

Cập nhật thu thập dữ liệu model

Bản hiện tại bao gồm sửa lỗi khiến phiên bản 1.0.26 không ghi nhận được dữ liệu học mới với thời gian thực tế. Sau cập nhật, hệ thống tiếp tục thu thập quyết định mới và chờ kết quả. Bản ghi cũ thiếu dữ liệu tại thời điểm quyết định được giữ nguyên, không được dựng lại thành dữ liệu học. Model vẫn ở giai đoạn chạy bóng; sửa phần thu thập chưa chứng minh dự báo hoặc lợi nhuận tốt hơn.

Gói bot và Chờ bot

Khi xuất, chọn mã giao dịch, lọc Thử việc/Chính thức/Vô dịch và chọn khung đang xem hoặc toàn bộ khung của mã đó. Gói mã hóa giữ DNA, thuật toán, lịch sử và thành tích. Bot nhập tự vào đúng dòng bot và khung gốc nếu máy nhận có desk tương thích và còn chỗ. Bot nhập giữ cấp đã đạt: Thử việc tiếp tục tích lũy để lên Chính thức; Chính thức/Vô dịch có thể mở lệnh thật qua quyền tài khoản, vốn và rủi ro của máy nhận. Không nhập cấu hình tài khoản hay rủi ro máy gửi. Bot mua có bản quyền không được xuất lại hoặc dùng để tạo bản sao.

Khi giấy phép hết hạn

Khi chưa kích hoạt hoặc hết hạn, ứng dụng ngừng mở lệnh mới và công việc AI, training, tạo và tiến hóa bot. Dữ liệu và cấu hình của bạn được giữ lại. Ứng dụng không tự đóng vị thế hoặc hủy lệnh chờ đã đặt tại broker; SL/TP đã đặt vẫn do broker xử lý. Quản lý động của ứng dụng ngừng khi giấy phép không còn hợp lệ. Gia hạn và kích hoạt lại trước khi tiếp tục.

Chi tiết lệnh và lịch sử

Trade Proposal và Execution nằm cạnh nhau. Bảng đề xuất gần đây hiện bot, khung, chế độ paper/thật, loại lệnh và Entry, SL, TP, kể cả khi khung đang CHỜ. Giá đề xuất không thay thế giá khớp. Trong lịch sử, chọn Mọi mã giao dịch và Mọi timeframe nếu muốn xem gộp; chọn khoảng ngày rồi dùng More để tải tiếp trong đúng phạm vi.

Trạng thái AI cloud

Lỗi khóa API khác với hết hạn mức. Nếu báo lỗi xác thực, cập nhật khóa trong Cài đặt. Model không khả dụng được tạm bỏ qua để thử model hoặc nhà cung cấp khác; khi cloud không dùng được, hệ thống dùng AI local đã cấu hình. Kết quả AI vẫn phải qua các bước kiểm định trước khi bot được hoạt động.

Cấu hình vốn và lot

Phiên bản 2.0.2 sửa lỗi mở lại cấu hình paper: giữ vốn và cách tính lot đã lưu. Cấu hình paper và lot thật theo mã nằm tại Danh sách mã → Sửa; xác nhận chính sách lot an toàn khi lưu/thay đổi, vẫn kiểm tra vốn/rủi ro từng lệnh. Thẻ mã hiện vốn paper khởi đầu, cách tính lot và lot cấu hình của paper/thật, loại lệnh Tech. Lưu Cài đặt chỉ gửi mục đã chỉnh, tránh ghi đè giá trị ở bảng khác; Signal không ghi đề Telegram/Zalo. MT5 kiểm tra rủi ro và margin trên toàn tài khoản mọi mã trước lệnh mới, gồm vị thế/lệnh chờ và lệnh tay. Không đổi cấu hình, lịch sử, DNA hoặc model riêng khi nâng cấp. Sao lưu và đóng ứng dụng trước cập nhật. Khách dùng tài khoản và khóa AI riêng. Không bảo đảm lợi nhuận.

FAQs · Thông báo và xử lý lỗi

Xem <https://horussignals.com/faqs/> để tra Account Guard, lot/vốn, AI, Signal, license và cập nhật. Không gửi mật khẩu, API key, token hoặc config.json khi báo lỗi.

Horus AI Model: học và tiến hoá

Model học trên máy từ các quyết định đã có kết quả và kiểm định phiên bản mới trước khi dùng. Khi thiếu dữ liệu, hệ thống tiếp tục thu thập. Không cần cloud để duy trì nghiên cứu tại máy. Model suy giảm có thể bị tạm ngừng đề xuất; bot mới vẫn phải qua các vòng kiểm chứng. Dự báo và lợi nhuận không được bảo đảm.

Phạm vi mục tiêu và bảo vệ tài khoản

Mã/khung đang xem chỉ áp dụng cho desk đang xem. Mã đang xem/mọi khung áp dụng cùng thông số cho các khung hiện có của đúng mã. Toàn tài khoản giữ nguyên mức drawdown cho mỗi mã/khung hiện có, không chia theo số desk. Lần lưu mới nhất quyết định mục tiêu; lưu riêng sau đó chỉ thay phạm vi riêng.

Drawdown là giới hạn sụt equity từ đỉnh, không phải rủi ro mỗi lệnh và không tạo vốn riêng cho mỗi khung. Mục tiêu lợi nhuận toàn tài khoản xét tổng kết quả. Các giới hạn lot, rủi ro mỗi lệnh, tổng vị thế/lệnh chờ, vốn, margin và Account Guard vẫn áp dụng. Lot tối thiểu có thể bị chặn. Bot Chính thức/Vô địch vẫn cần tín hiệu hợp lệ và vượt mọi kiểm tra; không bảo đảm có lệnh hoặc có lãi.

Execution · 2.0.2

Execution có bộ lọc phạm vi Desk đang xem, Mã đang xem · mọi khung và Mọi desk · mọi mã. Thống kê lệnh đã đóng theo khoảng ngày, Paper/Real tách riêng, có bảng từng desk. Số dư/equity và các nút quản lý vị thế thuộc tài khoản của desk đang xem; không cộng lập số dư tài khoản dùng chung. Lệnh đóng từng phần gộp theo vị thế; chất lượng khớp tính theo desk để không cộng điểm giá của các mã khác nhau.

Nhiều tài khoản thật · 2.0.2

Chọn từng tài khoản hoặc Toàn bộ ở các khung liên quan lệnh. Paper giữ riêng. Bộ lọc chỉ thay hiển thị và phạm vi quản lý lệnh; tín hiệu vẫn theo cấu hình mã/khung. Cùng mã dùng chung hệ thống bot nhưng giá khớp, lot và kết quả từng tài khoản có thể khác nhau. Nếu tài khoản 1 chỉ gán XAUUSD và tài khoản 2 chỉ gán BTCUSD, mỗi mã chỉ gửi tới tài khoản đã gán. Đóng/hủy/sửa SL/TP thực hiện theo tài khoản được chọn. Sửa giá đề xuất lệnh chờ chung cần chọn Toàn bộ. Kiểm tra trạng thái broker khi kết quả chưa xác nhận; không gửi lặp vì timeout.

Cập nhật 2.0.3 · Manual Trade và thông báo lệnh

Manual Trade bật riêng theo desk, hiển thị đề xuất còn hiệu lực của bot Chính thức/Vô địch trên mọi desk đã bật. Có thể chọn tài khoản, sửa lot, SL và TP từng phần; lot Manual nhớ riêng, không đổi lot Auto. Auto Trade Enable nằm trong Sửa mã và mặc định bật khi thêm cấu hình mới. Nếu cả hai bật, Manual có thể tạo thêm lệnh cùng tín hiệu: kiểm tra vị thế trước khi xác nhận. Hủy popup không hủy lệnh Auto.

Execution hiển thị lý do chặn hoặc chờ theo mã, khung và tài khoản, kèm hướng xử lý. Trạng thái chờ duyệt/Auto tắt không phải lệnh đã bị broker từ chối. Bot Chính thức/Vô địch vẫn cần tín hiệu mới, quyền tài khoản, license, kết nối, vốn, margin và vượt các kiểm tra rủi ro. Hai tài khoản có số dư, lot và kết quả riêng; cùng tín hiệu không bảo đảm khớp cùng thời điểm. Khi kết quả chưa rõ, kiểm tra broker/đối soát trước khi gửi lại.

Lệnh Manual dùng SL/TP đã xác nhận và chốt từng phần, không tự trailing/dời hòa vốn hoặc đóng theo tín hiệu Auto; bảo vệ vốn/khản cấp vẫn áp dụng. Paper chỉ dùng khi cấu hình thực thi là Paper, không tự chuyển tài khoản thật mất kết nối sang Paper. Horus Spider chỉ thông báo sự kiện, không điều khiển giao dịch. Sao lưu trước khi nâng cấp; nâng cấp giữ cấu hình, lịch sử, bot, model và cache license. Kết quả quá khứ không bảo đảm lợi nhuận tương lai.

Chặn đầu/cuối ngày giao dịch: trong Sửa mã, mặc định OFF; khi bật chọn 5/10/30 phút (mặc định 10). Áp dụng lệnh mới Market/Limit/Stop của Auto và Manual trên mọi khung của mã, xét riêng broker/tài khoản. Hủy lệnh chờ Horus trong khoảng chặn; vị thế đã mở vẫn được quản lý. Hủy chỉ hoàn tất khi broker xác nhận; nếu chưa xác nhận, app báo theo tài khoản và thử lại. BTC theo ngày server; XAUUSD theo lịch qua đêm của broker. Lịch Exness cập nhật nền, Binance dùng ngày UTC. Broker chưa hỗ trợ lịch hoặc lịch quá hạn sẽ báo rõ và chưa gửi lệnh mới khi tùy chọn bật; có thể tắt tùy chọn trong Sửa mã. Các cổng rollover và rủi ro vẫn áp dụng theo cài đặt riêng.

Thống kê Execution tách lời/lỗ theo tiền tệ gốc tài khoản (ví dụ USC khác USD), không cộng chung tiền tệ khác nhau. Lệnh cũ thiếu thông tin tiền tệ được ghi rõ, không mặc định là USD.

User guide

Getting started

Install with Setup, open the app, and activate with the purchase email and serial. The default is PAPER. Configure the data source, symbol, timeframe and execution account in Settings.

Bot families

Horus Tech Bots and Scalping AI Bots have distinct mascots. Scalping AI Bots consider actions after each completed candle and may skip trading. Their switch is in Settings and defaults to on.

Bot details

Click a Scalping AI Bot or Horus AI Bot in the arena or Leaderboard to view identity, individual SL/TP, separate shadow and real performance, latest results and status history. A dash means data is unavailable. Each group uses its own evidence.

Lifecycle

Shadow → Probation → Active → Champion. Only Active and Champion bots are eligible for real orders, subject to trading permissions and risk checks. Bots may enter Quarantine or the Graveyard when they no longer qualify.

Execution and history

Execution identifies the bot, account, balance and timeframe. PAPER and LIVE history use separate tables, initially showing a limited list for the day; More loads additional entries. Leaderboard and Hall of Fame share a row on wide screens.

SL, TP and profit locks

Each trade has its own protection. Profit locks may advance as price moves favorably. Displayed protection is a target; actual fills can differ because of spread, slippage or connection issues. Peak profit is not guaranteed.

Trading goals

Each symbol and timeframe has its own goal; the account goal applies across desks. Draft fields persist when reopening. Check feasibility, then Save & Apply to activate. Turning a goal off retains saved values. Unapplied drafts do not affect trading.

Optimization and evolution

Bots are evaluated, selected and optimized using evidence and applied goals. New bots must complete the validation lifecycle. Goals guide development and are not profit promises.

Live trading and stopping

Enable real orders only on an account you explicitly select and authorize. Validate in PAPER first. Use stop and emergency controls when needed, and verify positions at the broker.

Updating and data

From 1.0.21 or earlier: back up config.json and data, close the app, then use Setup 2.0.2. Versions with the new updater can use Check for updates. Settings and data are retained; code rollback does not reverse data changes or broker orders.

Support

Downloads and licences are available at horussignals.com. An active licence is required for updates. Trading involves risk of loss; profits are not guaranteed.

Unified AI evolution

Horus Tech Bots, Horus AI Bots and Horus Scalping Bots learn from DNA and history, create variants and validate independently. New bots start in Shadow. AI cannot grant live-trading rights or edit open trades.

AI failover

Enable cloud priority for bot research in Settings. Free-capable cloud comes first, followed by enabled paid providers with configured keys, then local AI. Quota failures switch models or providers with cooldown. Authentication errors require checking the key. Use Free Tier accounts for free allowances; billing depends on the provider. Muse Web and Meta Model API have separate allowances.

Per-recipient Signal settings

Each Signal row selects a group or personal phone number, recipient address and language. Verify the destination before enabling sends. Enter your own keys and settings on your machine.

Horus Signals AI Model on your computer

The small model collects new evidence and learns locally after activation, data connection and matured shadow outcomes. Each computer has its own dataset and model; the installer includes no developer dataset or trained model. Status is shown in the interface. Insufficient evidence keeps the model in Collecting evidence; no training deadline or profit is promised. The model checks new evidence for recurring training and yields resources to trading. Qualified models may propose new bots and DNA optimisation; each candidate passes independent validation. The model cannot directly open real orders or change capital and risk. A new model replaces the incumbent only after comparative validation. Exit learning is in development for future updates.

Data and performance

Training runs in the background when resources permit and is deferred while the computer is busy. New model data lives under data/learning; back up all config.json and data before upgrading. Your dataset/model is not automatically shared with the developer. Cloud AI uses the keys and permissions you configure separately.

Profit protection and order limits

One position or pending order per bot, symbol, timeframe and account is the default; adding positions is disabled by default. Smallest-frame profit protection is enabled by default under Risk management together with the overall protection switch. It prefers M1, otherwise the smallest valid source timeframe. SL only moves toward greater protection and requires broker confirmation; missing evidence retains existing protection.

Horus and Chrome trade notices

Confirmed opens, closes and partial closes show the bot, account, timeframe and observed values. Enable Chrome notices in Settings and allow browser notifications; keep the Horus page open. This is not a notification service after closing the browser.

Trade history by period

Select Today, Week (7 days), Month (30 days), 3 months (90 days), All history or a custom From–To date range. Custom ranges include the end date and use device time. More loads the next page within the selected period; Refresh returns to its first page. Separate tabs show closed paper trades, closed real trades and submitted LIMIT/STOP orders. The type column distinguishes MARKET from LIMIT. Expired unfilled orders have no profit/loss. Pending-order status is the proposal status; check each account at the broker. Missing historical details are marked Not recorded.

Model evidence collection fix

The current release includes the fix for the issue preventing 1.0.26 from capturing new learning evidence with real timestamps. After upgrading, the system collects new decisions and waits for their outcomes. Old records without decision-time evidence are retained but are not reconstructed into training samples. The model remains in shadow development; a collection fix does not prove better predictions or profits.

Bot packs and Market

For export, choose a trading symbol, filter Probation/Official/Champion and select the current timeframe or all timeframes of that symbol. Encrypted packs retain DNA, algorithms, history and achievements. Imported bots route to their original family and timeframe when compatible receiver desks and capacity exist. Their earned rank is retained: Probation continues toward Official; Official/Champion may trade live through receiver account permissions, capital and risk gates. Sender account and risk configuration is not imported. Licensed purchased bots cannot be re-exported or copied into offspring.

License expiry

Without activation or after expiry, new orders and AI, training and bot evolution are blocked. Customer data and configuration are retained. The app does not liquidate broker positions or cancel broker pending orders. Existing broker SL/TP remains in place; application-managed dynamic protection stops when the license is invalid. Renew and reactivate before continuing.

Order details and history

Trade Proposal sits beside Execution. Recent proposals show the bot, timeframe, paper/live mode, order type and Entry, SL and TP, including while the panel is waiting. Proposed prices are distinct from broker fills. Select All symbols and All timeframes in history for a combined view; choose a date period and use More to continue within that scope.

Cloud AI status

API authentication errors are distinct from quota limits. Update your key in Settings when authentication fails. Unavailable models are temporarily skipped for another model or provider; configured local AI is used when cloud providers cannot serve the request. AI results must still pass validation before a bot can operate.

Capital and sizing configuration

Version 2.0.2 fixes reopening paper settings and preserves saved capital and sizing mode. Configure symbol paper capital and live sizing under Symbols → Edit; acknowledge safe-size policy when saving/changing settings, while every order retains capital/risk checks. Symbol cards show initial paper capital, paper/live sizing and configured Tech order types. Settings saves send changed fields only; Signal saves do not overwrite Telegram/Zalo. Native MT5 checks whole-account risk and margin across symbols, including positions, pending orders and manual trades, before new orders. Upgrades preserve settings, history, DNA and private models. Back up and close the application before updating. Customers use their own accounts and AI keys. Profits are not guaranteed.

FAQs · Messages and troubleshooting

See <https://horussignals.com/faqs/> for Account Guard, sizing/capital, AI, Signal, licensing and updates. Never send passwords, API keys, tokens or config.json in error reports.

Horus AI Model: learning and evolution

The model learns locally from completed decision outcomes and validates new versions before use. Insufficient evidence keeps it collecting. Local research does not require cloud access. Deteriorating models may be suspended from proposals; new bots still pass the validation lifecycle. Predictions and profits are not guaranteed.

Goal scope and account protection

Current symbol/timeframe applies only to the viewed desk. Current symbol/all timeframes applies identical settings to existing timeframes of the exact symbol. Whole account retains the full drawdown target for every existing desk without dividing it by desk count. The latest save wins; later narrower saves override only their own scope.

Drawdown limits the decline in equity from its peak; it is not per-trade risk and creates no separate capital per timeframe. Account profit targets use combined results. Lot limits, per-trade risk, combined position/pending-order risk, capital, margin and Account Guard still apply. The minimum lot may be blocked. Official/Champion bots still need a valid signal that passes all checks; trading activity and profits are not guaranteed.

Execution · 2.0.2

Execution offers Current desk, Current symbol · all timeframes, and All desks · all symbols. Closed-trade statistics follow the selected period, keep Paper/Real separate and list each desk. Balance/equity and position controls belong to the current desk account; shared account balances are not added repeatedly. Partial closes are grouped by position. Fill quality stays desk-specific because price points differ by instrument.

Multiple live accounts · 2.0.2

Select an account or All in order-related panels. Paper remains separate. The filter changes display and order-management scope; signals still follow symbol/timeframe configuration. Accounts sharing a symbol share the bot system, but fills, lots and results may differ. If account 1 is bound only to XAUUSD and account 2 only to BTCUSD, each symbol routes only to its bound account. Closing, cancelling and changing position SL/TP use the selected account. Repricing a shared pending proposal requires All. Check broker state when an outcome is unconfirmed; do not resubmit merely because of a timeout.

Update 2.0.3 · Manual Trade and order notices

Manual Trade is enabled per desk and shows valid Official/Champion bot proposals from every enabled desk. Select accounts and edit lot, SL and partial TP levels; remembered Manual sizing is separate from Auto. Auto Trade Enable is in Edit symbol and defaults to on for new configurations. When both are enabled, Manual can add a trade on the same signal: check positions before confirming. Cancelling the popup does not cancel Auto orders.

Execution shows block or wait reasons by symbol, timeframe and account, with suggested actions. Awaiting approval/Auto disabled does not mean a broker rejection. Official/Champion bots still need fresh signals, account permissions, licence, connectivity, capital, margin and risk checks. Accounts have separate balances, lots and results; identical signals do not guarantee simultaneous fills. For unknown outcomes, reconcile/check the broker before resubmitting.

Manual orders use confirmed SL/TP and partial exits without automatic trailing, break-even or Auto-signal closure; capital protection/emergency controls remain. Paper is used only for Paper execution configurations; disconnected live accounts do not silently switch to Paper. Horus Spider reports events without controlling trades. Back up before upgrading; upgrades preserve settings, history, bots, models and licence cache. Past results do not guarantee future profits.

Trading-day boundary protection: in Edit symbol, default OFF; enable with 5/10/30 minutes (default 10). Applies to new Auto and Manual Market/Limit/Stop orders across the symbol's timeframes, evaluated per broker/account. Horus pending orders are cancelled during the blocked window; open positions continue to be managed. Cancellation completes only after broker confirmation; unconfirmed attempts are reported per account and retried. BTC uses the server day; XAUUSD follows overnight broker sessions. Exness calendars refresh in the background; Binance uses the UTC day. Unsupported or expired calendars visibly block new submission while enabled; disable the option in Edit symbol if needed. Separate rollover and risk controls continue to apply.

Execution P/L is separated by native account currency (for example USC differs from USD); different currencies are not added together. Legacy trades without recorded currency are marked explicitly rather than assumed to be USD.